

February 7, 2017

President Donald J. Trump  
The White House  
1600 Pennsylvania Avenue, NW  
Washington, DC 20500

Dear Mr. President:

On behalf of organizations representing families, providers, researchers, patients, and consumers, we write to express our unequivocal support for the safety of vaccines. Vaccines protect the health of children and adults and save lives. They prevent life-threatening diseases, including forms of cancer. Vaccines have been part of the fabric of our society for decades and are one of the most significant medical innovations of our time.

Because of the introduction of mass vaccinations, smallpox was declared eradicated from the world in 1977. Polio, a disease that routinely afflicted 13,000 to 20,000 Americans every year in the United States before the availability of the vaccine, was officially eliminated from the Western Hemisphere in 1991. Globally, vaccines prevent the deaths of roughly 2.5 million children per year.<sup>1</sup> And, data shows that just for children born in the United States in 2009, routine childhood immunizations will prevent approximately 42,000 early deaths and 20 million cases of disease with savings of more than \$82 billion in societal costs.<sup>2</sup>

Although vaccines are the safest and most cost-effective way of preventing disease, disability and death, this country still witnesses outbreaks of vaccine-preventable diseases, as highlighted by the measles outbreak at Disneyland in 2014. In 2012, 48,277 cases of pertussis (whooping cough) were reported to the Centers for Disease Control and Prevention (CDC), including 20 pertussis-related deaths.<sup>3</sup> This was the most reported cases of pertussis since 1955. In addition, each year, more than 200,000 individuals are hospitalized and 3,000-49,000 deaths occur from influenza-related complications.<sup>4</sup>

Claims that vaccines are unsafe when administered according to expert recommendations have been disproven by a robust body of medical literature, including a thorough review by the National Academy of Medicine (formerly known as the Institute of Medicine). Attached to this letter is a non-exhaustive list of studies demonstrating the safety of vaccines. Delaying vaccines only leaves our nation's citizens at risk of disease, particularly children. As a nation we should

---

<sup>1</sup> UNICEF. Immunization: Keeping Children Alive and Healthy.  
[https://www.unicef.org/immunization/files/Immunization\\_brochure.pdf](https://www.unicef.org/immunization/files/Immunization_brochure.pdf)

<sup>2</sup> Economic Evaluation of the Routine Childhood Immunization Program in the United States, 2009  
Fangjun Zhou, Abigail Shefer, Jay Wenger, Mark Messonnier, Li Yan Wang, Adriana Lopez, Matthew Moore, Trudy V. Murphy, Margaret Cortese, Lance Rodewald. *Pediatrics* Apr 2014, 133 (4) 577-585; DOI: 10.1542/peds.2013-0698.

<sup>3</sup> Centers for Disease Control and Prevention. 2012 Final Pertussis Surveillance Report.  
<https://www.cdc.gov/pertussis/downloads/pertuss-surv-report-2012.pdf>

<sup>4</sup> Centers for Disease Control and Prevention. Questions & Answers: Seasonal Influenza.  
<http://www.cdc.gov/flu/about/qa/disease.htm>. Accessed August 26, 2015.

redouble our efforts to make needed investments in patient and family education about the importance of vaccines in order to increase the rate of vaccination among all populations.

Put simply: Vaccines are safe. Vaccines are effective. Vaccines save lives. Our organizations welcome the opportunity to meet with you to share the robust, extensive scientific evidence supporting vaccine safety and effectiveness.

Sincerely,

National Organizations

AASA, The School Superintendents Association  
Academy of Nutrition and Dietetics  
African American Ministers In Action  
AIDS Alliance for Women, Infants, Children, Youth & Families  
The AIDS Institute  
Alliance for Aging Research  
American Academy of Allergy, Asthma & Immunology  
American Academy of Family Physicians  
American Academy of Neurology  
American Academy of Pediatrics  
American Academy of Physical Medicine and Rehabilitation  
American Academy of Physician Assistants  
American Association for Dental Research  
American Association for the Study of Liver Disease  
American Association of Child and Adolescent Psychiatry  
American Association of Colleges of Osteopathic Medicine  
American Association of Colleges of Pharmacy  
American Association of Immunologists  
American Association of Occupational Health Nurses  
American Association of Poison Control Centers  
American Association on Health and Disability  
American College of Osteopathic Family Physicians  
American College of Osteopathic Internists  
American College of Physicians  
American College of Preventive Medicine  
American Congress of Obstetricians and Gynecologists  
American Dental Association  
American Group Psychotherapy Association  
American Lung Association  
American Medical Association  
American Nurses Association  
American Osteopathic Association

American Pediatric Society  
American Pediatric Surgical Association  
American Pharmacists Association  
American Psychological Association  
American Public Health Association  
American School Health Association  
American Sexual Health Association  
American Society for Microbiology  
The American Society of Clinical Oncology  
American Society of Hematology  
American Society of Pediatric Otolaryngology  
American Thoracic Society  
Americans for Democratic Action  
The Andrew McDonough B+ Foundation  
The Arc of the United States  
Asian & Pacific Islander American Health Forum  
Association for Ambulatory Behavioral Healthcare  
Association for Asian Pacific Community Health Organizations  
Association for Professionals in Infection Control and Epidemiology  
Association of American Medical Colleges  
Association of Community Health Nursing Educators  
Association of Educational Service Agencies  
Association of Immunization Managers  
Association of Maternal & Child Health Programs  
Association of Medical School Pediatric Department Chairs  
Association of Public Health Laboratories  
Association of School Business Officials International  
Association of Schools and Programs of Public Health  
Association of Women's Health, Obstetric and Neonatal Nurses  
Association of University Centers on Disabilities  
Autism Science Foundation  
Autistic Self Advocacy Network  
Autism Speaks  
AVAC (AIDS Vaccine Advocacy Coalition)  
Birth Defects Research and Education Foundation  
Bridge the Gap- SYNGAP Education and Research Foundation  
Center for Hunger-Free Communities - Drexel University  
ChangeLab Solutions  
Child Welfare League of America  
Children and Adults with Attention-Deficit Hyperactivity Disorder (CHADD)  
Children's Brain Tumor Foundation  
Children's Cause for Cancer Advocacy  
Children's Defense Fund

Children's Dental Health Project  
The Children's Partnership  
CJ First Candle  
Coalition on Human Needs  
Commissioned Officers Association of the U.S. Public Health Service, Inc.  
Community Catalyst  
Doctors for America  
Easterseals  
Every Child By Two  
EveryLife Foundation for Rare Diseases  
Families Fighting Flu  
Family Voices  
Federation of Associations in Behavioral and Brain Sciences  
First Focus  
Franny Strong Foundation  
Generations United  
Global Alliance for Behavioral Health and Social Justice  
Health Resources in Action  
Healthcare Ready  
Hep B United  
Hepatitis B Foundation  
Hepatitis Education Project  
HIV Medicine Association  
Immunization Action Coalition  
Infectious Diseases Society of America  
Learning Disabilities Association of America  
Lurie Institute for Disability Policy  
March of Dimes  
Mended Little Hearts  
National Alliance of State & Territorial AIDS Directors  
National Alliance to Advance Adolescent Health  
National Association for Children's Behavioral Health  
National Association for the Dually Diagnosed  
National Association of Community Health Centers  
National Association of County and City Health Officials  
National Association of County Behavioral Health and Developmental Disability Directors  
National Association of EMS Physicians  
National Association of Pediatric Nurse Practitioners  
National Association of School Nurses  
National Association of State Emergency Medical Services Officials  
National Birth Defects Prevention Network  
National Blood Clot Alliance  
National CMV Foundation

National Foundation for Infectious Diseases  
National Health Law Program  
National Hispanic Medical Association  
National Meningitis Association, Inc.  
National Network of Public Health Institutes  
National Organization for Rare Disorders  
National Partnership for Women & Families  
National Physician's Alliance  
National PKU Alliance, Inc.  
National Rural Education Advocacy Consortium  
National Rural Education Association  
National WIC Association  
NETWORK Lobby for Catholic Social Justice  
The North American Society for Pediatric Gastroenterology, Hepatology and Nutrition  
The Organization of Teratology Information Specialists  
Ounce of Prevention Fund  
PACER Center  
Parent to Parent USA  
Parents of Kids with Infectious Diseases  
Partnership for America's Children  
PATH  
Pediatric Infectious Diseases Society  
Physicians for Reproductive Health  
PremieWorld  
Prevent Blindness  
Prevention Institute  
Project Inform  
Public Advocacy for Kids  
Public Health Advocates  
Public Health Institute  
Quad Council Coalition of Public Health Nurses  
Rally Foundation for Childhood Cancer Research  
RESULTS  
RetireSafe  
St. Baldrick's Foundation  
Salaam Legal Network & Citizens Council for Human Rights  
The Sargent Shriver National Center on Poverty and Law  
School-Based Health Alliance  
Scientific Technologies Corporation  
Secular Coalition for America  
Sexuality Information and Education Council of the United States  
Society for Adolescent Health and Medicine  
Society for Developmental and Behavioral Pediatrics

Society for Healthcare Epidemiology  
Society for Maternal-Fetal Medicine  
Society for Pediatric Research  
Society for Public Health Education  
Society for Reproductive Investigation  
Society for the Study of Reproduction  
Society of Thoracic Surgeons  
Society of Pediatric Psychology  
Spina Bifida Association  
Teratology Society  
Trust for America's Health  
Vaccine Education Center at Children's Hospital of Philadelphia  
Voices for Vaccines  
Zero to Three

#### State-Based Organizations

AAUW-New York State, Inc.  
Advocates for Children and Youth of Maryland  
Advocates for Children of New Jersey  
Alabama Chapter of the American Academy of Pediatrics  
Alaska Chapter of the American Academy of Pediatrics  
All Alaska Pediatric Partnership  
Ann & Robert H. Lurie Children's Hospital of Chicago  
Arizona Chapter of the American Academy of Pediatrics  
Arkansas Advocates for Children and Families  
Arkansas Chapter of the American Academy of Pediatrics  
Asian Services In Action of Ohio  
ATSU/Kirksville College of Osteopathic Medicine  
Baltimore City Health Department  
Black Children's Institute of Tennessee  
Bridgeport Child Advocacy Coalition  
Burrell College of Osteopathic Medicine  
California Chapter 1 of the American Academy of Pediatrics  
California Chapter 2 of the American Academy of Pediatrics  
California Chapter 3 of the American Academy of Pediatrics  
California Chapter 4 of the American Academy of Pediatrics  
California Children's Hospital Association  
California Public Health Association-North  
California School-Based Health Alliance  
Child and Family Policy Center of Iowa  
Children Now of California

Children's Defense Fund – California  
Children's Defense Fund – New York  
Children's Hospitals and Clinics of Minnesota  
Children's Oncology Group, Children's Hospital of Philadelphia  
Children's Specialty Care Coalition of California  
The Community Health Outreach Work to Prevent AIDS Project (CHOW Project) of Hawaii  
Colorado Chapter of the American Academy of Pediatrics  
Colorado Children's Campaign  
Community Action Agency of Somerville, Inc.  
Community Clinic Consortium of Contra Costa and Solano Counties  
Community Health Initiative Napa County  
Community Resource Exchange of New York  
Connecticut Chapter of the American Academy of Pediatrics  
Cook County Health and Hospitals System  
County Health Executives Association of California  
Delaware Chapter of the American Academy of Pediatrics  
Delaware Family Voices  
Department of Child Health, University of Missouri-Columbia School of Medicine  
District of Columbia Chapter of the American Academy of Pediatrics  
Dominican Sisters of Houston  
Equitas Health of Ohio  
EverThrive Illinois  
Family Voices of Illinois  
Family Voices of New Jersey  
Family Voices of Tennessee  
Fayette County Board of Education  
FeedMore of Virginia  
Florida Chapter of the American Academy of Pediatrics  
Florida Legal Services, Inc  
Foster Adopt Connect Inc. of Missouri  
Foundation for Healthy Generations of Washington  
Georgia Chapter of the American academy of Pediatrics  
Goldsboro (North Carolina) Pediatrics PA  
Greater New York Labor Religion Coalition  
Hawaii Association of Osteopathic Physicians and Surgeons  
Hawaii Chapter of the American Academy of Pediatrics  
Hawaii Children's Action Network  
Health and Education Alliance of Louisiana  
Heartland Alliance for Human Needs & Human Rights  
Hep Free Hawaii  
Holy Cross Ministries of Utah  
Idaho Chapter of the American Academy of Pediatrics  
Idaho Parents Unlimited

Illinois Academy of Family Physicians  
Illinois Association of Public Health Administrators  
Illinois Chapter of the American Academy of Pediatrics  
Illinois Public Health Association  
Illinois State Medical Society  
Immunization Action Coalition of Washington  
Immunization Coalition of Delaware  
Indiana Chapter of the American Academy of Pediatrics  
Infectious Disease Society of Ohio  
Iowa Chapter of the American Academy of Pediatrics  
Iowa Public Health Association  
Johns Hopkins Center for Health Security  
Kansas Chapter of the American Academy of Pediatrics  
Kansas City (Missouri) Health Department  
Kelsey-Seybold Clinic - Houston  
Kentucky Chapter of the American Academy of Pediatrics  
Lancaster City Housing Authority  
Lawyers For Children of New York  
Legal Council for Health Justice of Chicago  
Livingston County (Michigan) Health Department  
Local Public Health Association of Minnesota  
Louisiana Chapter of the American Academy of Pediatrics  
Louisiana Public Health Institute  
Maine Chapter of the American Academy of Pediatrics  
Maine Children's Alliance  
Maryland Chapter of the American Academy of Pediatrics  
Maryland United for Peace and Justice  
Massachusetts Chapter of the American Academy of Pediatrics  
Massachusetts Infectious Diseases Society  
Michigan Chapter of the American Academy of Pediatrics  
Michigan Council for Maternal and Child Health  
Michigan Council of Nurse Practitioners  
Michigan Osteopathic Association  
Minnesota Chapter of the American Academy of Pediatrics  
Mississippi Center for Justice  
Mississippi Chapter of the American Academy of Pediatrics  
Missouri Chapter of the American Academy of Pediatrics  
Montana Chapter of the American Academy of Pediatrics  
Montana Hospital Association  
Montana Public Health Association  
National Association of Social Workers – Rhode Island Chapter  
Nebraska Association of Local Health Directors  
Nebraska Chapter of the American Academy of Pediatrics



Nemours Children's Health System  
Nevada Association of Local Health Officials  
Nevada Chapter of the American Academy of Pediatrics  
New Directions for Maine Families  
New Hampshire Pediatric Society  
New Jersey Chapter of the American Academy of Pediatrics  
New Mexico Medical Society  
New Mexico Pediatric Society  
New Mexico Voices for Children  
New York State Chapter 1 of the American Academy of Pediatrics  
New York State Chapter 2 of the American Academy of Pediatrics  
New York State Chapter 3 of the American Academy of Pediatrics  
North Carolina Association of Local Health Directors  
North Carolina Citizens for Public Health  
North Carolina Pediatric Society  
North Carolina Public Health Association  
North Dakota Chapter of the American Academy of Pediatrics  
North East Medical Services of San Francisco  
Northern Illinois Public Health Consortium  
Northern Michigan Vaccine Preventable Disease Task Force  
Northwest Health Law Advocates  
Northwestern Access to Health Project, Center for International Human Rights, Northwestern  
Pritzker School of Law  
NYIT College of Osteopathic Medicine at Arkansas State  
Ohio Asian American Health Coalition  
Ohio Chapter of the American Academy of Pediatrics  
Oklahoma Chapter of the American Academy of Pediatrics  
Oregon Health & Science University  
Oregon Public Health Association  
Oregon Pediatric Society  
Pacific Northwest University of Health Sciences College of Osteopathic Medicine  
Parent Voices California  
Pennsylvania Chapter of the American Academy of Pediatrics  
Prevent Child Abuse New York  
r Kids Family Center New Haven, Connecticut  
Respiratory Health Association of Chicago  
RESULTS Metro Maryland  
RESULTS Texas  
Rhode Island Chapter of the American Academy of Pediatrics  
Rhode Island Society of Osteopathic Physicians and Surgeons  
Rocky Vista University College of Osteopathic Medicine  
Schenectady Inner City Ministry  
School-Based Health Alliance of Arkansas

South Carolina Chapter of the American Academy of Pediatrics  
South Carolina Osteopathic Medical Society  
South Dakota Chapter of the American Academy of Pediatrics  
Statewide Parent Advocacy Network of New Jersey  
Tennessee Chapter of the American Academy of Pediatrics  
Tennessee Justice Center  
Texas Pediatric Society  
The Children's Agenda of New York  
The Connecticut Osteopathic Medical Society  
The Latino Health Insurance Program, Inc. of Massachusetts  
The Los Angeles Trust for Children's Health  
United Way of Illinois  
Utah Chapter of the American Academy of Pediatrics  
Vermont Chapter of the American Academy of Pediatrics  
Virginia Chapter of the American Academy of Pediatrics  
Voices for Children of San Antonio  
Voices for Ohio's Children  
Voices for Virginia's Children  
Washington Chapter of the American Academy of Pediatrics  
West Valley Neighborhoods Coalition of Arizona  
West Virginia Chapter of the American Academy of Pediatrics  
West Virginia School of Osteopathic Medicine  
Wisconsin Association of Local Health Departments and Boards  
Wisconsin Chapter of the American Academy of Pediatrics  
Wisconsin Council on Children and Families  
Wisconsin Public Health Association  
Wyoming Chapter of the American Academy of Pediatrics

## Vaccine Studies: Examine the Evidence



The [safety](#) and [effectiveness of vaccines](#) are under constant study. Because vaccines are designed to be given routinely during well-child care visits, they must be extraordinarily safe. Safety testing begins as soon as a new vaccine is contemplated, continues until it is approved by the FDA, and is monitored indefinitely after licensure. The American Academy of Pediatrics (AAP) works closely with the Centers for Disease Control and Prevention (CDC) to make recommendations for vaccine use.

Over the past decade, questions have been raised regarding a relationship between [autism](#) and vaccines. Along with general safety concerns, parents have wondered about:

- too many vaccines overwhelming the immune system;
- the [measles, mumps, rubella combination vaccine \(MMR\)](#); and
- the preservative thimerosal, which was never present in MMR but was present in several vaccines used in the 1990s, but has since been removed from all routinely used childhood vaccines with the exception of flu.

Research has been conducted on all of these topics, and the studies continue to find vaccines to be a safe and effective way to prevent serious disease. This document lists those studies and provides links to the publications to allow parents and all those who administer or recommend vaccines to read the evidence for themselves. These studies do not show any link between autism and MMR vaccine, thimerosal, multiple vaccines given at once, fevers or seizures. This is not an exhaustive list-vaccine safety studies are constantly being conducted and published and may not be reflected here.

Please examine the evidence for yourself. If you have any questions, speak with your pediatrician

### Studies about general safety and number of vaccines:

## Increasing Exposure to Antibody-Stimulating Proteins and Polysaccharides in Vaccines is Not Associated with Risk of Autism

DeStefano F, Price CS, Weintraub ES. *Journal of Pediatrics*. 2013

This case-control study of more than 1,000 children compared the total exposure of antibody-stimulating proteins and polysaccharides in children with autism spectrum disorder (ASD), autistic disorder (AD), or ASD with regression to the total exposure in children who were not diagnosed with any form of autism. The children included in the study were aged 6-13 years, but authors studied their exposures from vaccines during the first 2 years of life. Results showed that the odds of developing any of the three forms of autism studied did not rise with increased exposure to antibody-stimulating proteins and polysaccharides.

**AUTHOR CONCLUSION:** The authors concluded that parents' concern that "too many vaccines too soon" could lead to autism is not supported. There was no indication that children with autism were more likely to have been exposed to more antigens through vaccines either in a single doctor's visit, in the first 3 months of life, the first 7 months of life, or the first 2 years of life than were children without any diagnosis of ASD, AD or ASD with regression. The authors also pointed out that while children today may receive more vaccines than the children in this study, some of the children in this study were exposed to far more antigens (by thousands) than children today. This is because whole-cell pertussis vaccine is no longer used.

- <http://jpediatrics.com/webfiles/images/journals/ympd/JPEDSDeStefano.pdf>

## On-time Vaccine Receipt in the First Year Does Not Adversely Affect Neuropsychological Outcomes

Smith M and Woods C, *Pediatrics*. Vol. 125 No. 6 June 2010, pp. 1134-1141

The study of data on more than 1,000 children born between 1993 and 1997 looked at their vaccination schedules up to 1 year of age, and studied their performance 7 to 10 years later on 42 different neuropsychological outcomes. Timely vaccination was associated with better performance on numerous outcomes. The less-vaccinated children did not do significantly better on any of the outcomes.

**AUTHOR CONCLUSION:** This comparison of children vaccinated on time with children whose vaccinations were delayed or incomplete found no benefit in delaying immunizations during the first year of life. For parents who are concerned that children receive too many vaccines too soon, these data may provide reassurance that timely vaccination during infancy has no adverse effect on long-term neuropsychological outcomes.

- <http://pediatrics.aappublications.org/cgi/content/abstract/125/6/1134>

## Evaluation of Immunization Rates and Safety Among Children With Inborn Errors of Metabolism

Klein N, et al., Pediatrics. 2011; 127(5), e1139-46

Researchers studied children in Northern California to determine whether 77 infants with inborn errors of metabolism who received vaccines were more likely to experience adverse events following vaccination, than 1540 matched controls (infants born without inborn errors of metabolism). Authors did not find any association between vaccination of children with inborn errors of metabolism and an increase in hospitalizations or emergency-department visits within 30 days of vaccination.

**AUTHOR CONCLUSION:** On-time receipt of vaccines is not associated with increased risk for serious adverse events in the 30 days after vaccination, even in children who have metabolism conditions. This should provide reassurance that children with inborn errors of metabolism who are vaccinated routinely do not experience adverse effects.

- <http://pediatrics.aappublications.org/content/127/5/e1139>

## Measles-Containing Vaccines and Febrile Seizures in Children Age 4 to 6 Years

Klein N, et al., Pediatrics. 2011; 129(5): 809-14

Researchers chose to perform cohort study and included 715,484 children aged 48-83 months of age who received a dose of MMRV, a dose of MMR on the same day as a dose of Varicella injected separately, or MMR alone or Varicella alone to determine the risk of post-vaccination seizure in these groups. Results showed that more fevers and seizures did occur in children who had received the MMRV vaccine, compared with children who had received MMR + Varicella, or MMR or Varicella separately, though this finding was not statistically significant. The study did not find any peak in seizure or fever activity in any of the study groups in the 7-10 post-vaccination period. Of the 4 febrile seizures observed in the 7-10 days in the post-vaccination period for children receiving MMRV, only one febrile seizure could be confirmed, resulting in authors claiming the rate of febrile seizure after MMRV to be 1 in 86,750 doses.

**AUTHOR CONCLUSION:** Overall researchers found no increased risk of febrile seizures in any of the study groups within 6 weeks of vaccination.

- <http://pediatrics.aappublications.org/content/129/5/809>

## Studies looking at measles, mumps, and rubella (MMR) vaccine:

### No Evidence for Measles, Mumps, and Rubella Vaccine-Associated Inflammatory Bowel Disease or Autism in a 14-year Prospective Study

Peltola H et al. *Lancet*. 1998; 351:1327-8

Prospective study of 3 million adverse events in temporal relation to MMR vaccine. A form was filled and posted to the data collectors, followed by another form with further information 2-3 weeks later. Researchers traced subjects who developed gastrointestinal symptoms or signs lasting 24 hours or more at any time after MMR vaccination (apart from within the first hour). Researchers also checked hospital and health center records or interviewed the local public-health nurses.

**AUTHOR CONCLUSION:** Over a decade's effort to detect all severe adverse events associated with MMR vaccine could find no data supporting the hypothesis that it would cause pervasive developmental disorder or inflammatory bowel disease.

- <http://www.freenetpages.co.uk/hp/gingernut/lancet/Finland%20May%201998.pdf>

### Autism and Measles, Mumps, and Rubella Vaccine: No Epidemiological Evidence for a Causal Association

Taylor B et al. *Lancet*. 1999;353 (9169):2026-9

Researchers looked for a change in trend in incidence or age at diagnosis associated with the introduction of measles, mumps and rubella (MMR) vaccination to the United Kingdom in 1988. The study identified 498 cases of autism (261 of core autism, 166 of atypical autism, and 71 of Asperger syndrome) in children born in the UK since 1979. There was a steady increase in cases by year of birth with no sudden "step-up" or change in the trend line after the introduction of MMR vaccination. There was no difference in age at diagnosis between the cases vaccinated before or after 18 months of age and those never vaccinated. There was no temporal association between onset of autism within 1 or 2 years after vaccination with MMR. Developmental regression was not clustered in the months after vaccination.

**AUTHOR CONCLUSION:** Data do not support a causal association between MMR vaccine and autism. If such an association occurs, it is so rare that it could not be identified in this large regional sample.

- <http://tinyurl.com/5bgvwg>

## Mumps, Measles, and Rubella Vaccine and the Incidence of Autism Recorded by General Practitioners: A Time Trend Analysis

Kaye JA et al. *British Medical Journal*. 2001; 322:460-63

Study compared prevalence of measles, mumps and rubella (MMR) vaccination among children in the United Kingdom to rising prevalence of autism diagnoses for children.

AUTHOR CONCLUSION: The data provide evidence that no correlation exists between the prevalence of MMR vaccination and the rapid increase in the risk of autism over time.

- <http://www.bmj.com/cgi/content/full/322/7284/460>

## MMR and autism: further evidence against a causal association

Farrington CP, et al. *Vaccine*. 2001; Jun 14; 19(27):3632-5

Data from an earlier measles, mumps and rubella (MMR) vaccine study (Taylor et al, 2000) were reanalyzed to test a second hypothesis.

AUTHOR CONCLUSION: Results provide further evidence against a causal association between MMR vaccination and autism.

- <http://tinyurl.com/5lb3w7>

## Time Trends in Autism and in MMR Immunization Coverage in California

Dales L et al. *Journal of the American Medical Association*. 2001; 285(9):1183-5

Scientists looked for correlation between increases in the rate of autism diagnoses and increases in the rate of measles, mumps and rubella (MMR) vaccination in children born between 1980 and 1994.

AUTHOR CONCLUSION: These data do not suggest an association between MMR immunization among young children and an increase in autism occurrence.

- <http://jama.ama-assn.org/cgi/content/abstract/285/9/1183>

## Measles-Mumps-Rubella and Other Measles-Containing Vaccines Do Not Increase the Risk for Inflammatory Bowel Disease: A Case-Control Study from the Vaccine Safety Datalink Project

Davis RL et al. *Archives of Pediatric and Adolescent Medicine*. 2001;155(3):354-9

A case control study of 155 persons with inflammatory bowel disease with up to five controls each. Neither past vaccination nor age at vaccination with other MCV was associated with increased risk for Crohn's disease, ulcerative colitis, or IBD. Risk for Crohn's disease, ulcerative colitis, or IBD was not elevated in the time immediately following vaccination with either vaccine.

**AUTHOR CONCLUSION:** Vaccination with MMR or other MCV, or the timing of vaccination early in life, did not increase the risk for IBD.

- <http://archpedi.ama-assn.org/cgi/content/abstract/155/3/354>

### No Evidence for a New Variant of Measles-Mumps-Rubella-Induced Autism

Fombonne E et al. *Pediatrics*. 2001;108(4):E58

Study compared 96 children with a pervasive developmental disorder (PDD) born between 1992 and 1995 and who had received the measles, mumps and rubella (MMR) vaccine, to PDD patients who did not receive MMR.

**AUTHOR CONCLUSION:** No evidence was found to support a distinct syndrome of MMR-induced autism or of "autistic enterocolitis." These results add to the largescale epidemiologic studies that all failed to support an association between MMR and autism at population level. These findings do not argue for changes in current immunization programs and recommendations.

- <http://tinyurl.com/5adckj>

### Measles, Mumps, and Rubella Vaccination and Bowel Problems or Developmental Regression in Children with Autism: Population Study

Taylor B et al. *British Medical Journal*. 2002; 324(7334):393-6

Population study of 278 children with core autism and 195 with atypical autism, born between 1979 and 1998. The proportion of children with developmental regression (25% overall) or bowel symptoms (17%) did not change significantly during the 20 years from 1979, a period which included the introduction of measles, mumps and rubella (MMR) vaccination in October 1988.

**AUTHOR CONCLUSION:** Data provide no support for an MMR associated "new variant" form of autism with developmental regression and bowel problems, and further evidence against involvement of MMR vaccine in the initiation of autism.

- <http://tinyurl.com/6oqsfc>



## Relation of Childhood Gastrointestinal Disorders to Autism: Nested Case Control Study Using Data from the UK General Practice Research Database

Black C et al. *British Medical Journal*. 2002; 325:419-21

Nested case control study of 96 children diagnosed with autism and 449 controls. The estimated odds ratio for a history of gastrointestinal disorders among children with autism compared with children without autism was 1.0 (95% confidence interval 0.5 to 2.2).

**AUTHOR CONCLUSION:** No evidence was found that children with autism were more likely than children without autism to have had defined gastrointestinal disorders at any time before their diagnosis of autism.

- <http://tinyurl.com/csudoy>

## Neurologic Disorders after Measles-Mumps-Rubella Vaccination

Makela A et al. *Pediatrics*. 2002; 110:957-63

Study of 535,544 1- to 7-year-old children who were vaccinated between November 1982 and June 1986 in Finland.

**AUTHOR CONCLUSION:** Data do not support an association between measles, mumps and rubella (MMR) vaccination and encephalitis, aseptic meningitis or autism.

- <http://tinyurl.com/6ybfjr>

## A Population-Based Study of Measles, Mumps, and Rubella Vaccination and Autism

Madsen KM et al. *New England Journal of Medicine*. 2002; 347(19):1477-82

Compared relative risk of Autism Spectrum Disorder (ASD) in children vaccinated with measles, mumps and rubella (MMR) vaccine and unvaccinated children born in Denmark between 1991 and 1998. Of the 537,303 children in the cohort, 82% had received the MMR vaccine. Researchers identified 316 children with a diagnosis of autism and 422 with a diagnosis of other ASDs. There was no association between the age at the time of vaccination, the time since vaccination, or the date of vaccination and the development of autism.

**AUTHOR CONCLUSION:** This study provides strong evidence against the hypothesis that MMR vaccination causes autism.

- <http://tinyurl.com/5eob5k>

## Prevalence of Autism and Parentally Reported Triggers in a North East London Population

Lingam R et al. *Archives of Disease in Childhood*. 2003; 88(8):666-70

Study of reported age of onset of Autism Spectrum Disorder (ASD) among 567 children in northeast London born between 1979 and 1998. The age at diagnosis of ASD was estimated to have decreased per five-year period since 1983, by 8.7% for childhood autism and by 11.0% for atypical autism.

**AUTHOR CONCLUSION:** The data suggest that a rise in autism prevalence was likely due to factors such as increased recognition, a greater willingness on the part of educators and families to accept the diagnostic label, and better recording systems. The proportion of parents attributing their child's autism to MMR appears to have increased since August 1997.

- <http://adc.bmj.com/cgi/content/abstract/88/8/666>

## MMR Vaccination and Pervasive Developmental Disorders: A Case-Control Study

Smeeth L et al. *Lancet* 2004; 364(9438):963-9

Matched case-control of 1,295 people born in 1973 or later who had first recorded diagnosis of pervasive developmental disorder while registered with a contributing general practice between 1987 and 2001. Controls (4,469) were matched on age, sex and general practice. 1,010 cases (78.1%) had measles, mumps and rubella (MMR) vaccination recorded before diagnosis, compared with 3,671 controls (82.1%) before the age at which their matched case was diagnosed,

**AUTHOR CONCLUSION:** Data suggest that MMR vaccination is not associated with an increased risk of pervasive developmental disorders.

- <http://tinyurl.com/8wlhfj>

## Age at First Measles-Mumps-Rubella Vaccination in Children with Autism and School-Matched Control Subjects: A Population-Based Study in Metropolitan Atlanta

DeStefano F et al. *Pediatrics* 2004; 113(2): 259-66

Study compared ages at first measles, mumps and rubella (MMR) vaccination between children with autism and children who did not have autism in the total population and in selected subgroups, including children with regression in development.

**AUTHOR CONCLUSION:** Similar proportions of case and control children were vaccinated by

the recommended age or shortly after (ie, before 18 months) and before the age by which atypical development is usually recognized in children with autism (ie, 24 months).

- <http://pediatrics.aappublications.org/cgi/content/abstract/113/2/259>

### No evidence for links between autism, MMR and measles virus

Chen W et al, *Psychological Medicine* 2004 April;34(3):543-53

Study compared 2,407 persons with autism born between 1959 and 1993; to 4,640 Down syndrome subjects born between 1966 and 1993.

**AUTHOR CONCLUSION:** No increased risk of autism was found following exposures to wild measles and vaccinations with monovalent measles, and Urabe or Jeryl-Lynn variants of measles, mumps and rubella (MMR) vaccine.

- <http://tinyurl.com/5msou2>

### No effect of MMR withdrawal on the incidence of autism: a total population study

Honda H et al, *Journal of Child Psychology and Psychiatry* 2005 June; 46(6):572-9

Study examined incidence of Autism Spectrum Disorders (ASD) to age 7 for children born between 1988 and 1996 in Yokohama, Japan. The measles, mumps and rubella (MMR) vaccination rate in Yokohama declined significantly in the birth cohorts of years 1988-92, and no MMR vaccines were administered in 1993 or thereafter. In contrast, cumulative incidence of ASD up to age 7 increased significantly in the birth cohorts of years 1988 through 1996 and most notably rose dramatically beginning with the birth cohort of 1993.

**AUTHOR CONCLUSION:** MMR vaccination is not likely to be a main cause of ASD, and cannot explain the rise over time in the incidence of ASD. Withdrawal of MMR in countries where it is still being used cannot be expected to lead to a reduction in the incidence of ASD.

- <http://tinyurl.com/d8f3lg>

### Immunization Safety Review: Vaccines and Autism

Institute of Medicine, The National Academies Press: 2004

The IOM's Committee on Immunization Safety Review was convened in the fall of 2000 to provide an independent review of increasingly prominent vaccine safety concerns. The 15 committee members with expertise in pediatrics, internal medicine, immunology, neurology, infectious diseases, epidemiology, biostatistics, public health, risk perception, decision analysis, nursing, genetics, ethics and health communications analyzed over 200 relevant studies.

**AUTHOR CONCLUSION:** The committee rejected a causal relationship between the MMR

vaccine and autism as well as a causal relationship between thimerosal containing vaccines and autism.

- [http://books.nap.edu/catalog.php?record\\_id=10997#description](http://books.nap.edu/catalog.php?record_id=10997#description)

### Relationship between MMR Vaccine and Autism

Klein KC, Diehl EB. *The Annals of Pharmacotherapy*. 2004; 38(7-8):1297-300

Ten articles that specifically evaluated the possible relationship between the measles, mumps and rubella (MMR) vaccine and autism were identified. Review articles, commentaries, and evaluations of a link between gastrointestinal symptoms in autistic children and MMR immunization were excluded.

**AUTHOR CONCLUSION:** Based upon the current literature, it appears that there is no relationship between MMR vaccination and the development of autism.

- <http://tinyurl.com/chdjrk>

### Is there a 'regressive phenotype' of Autism Spectrum Disorder associated with the measles-mumps-rubella vaccine? A CPEA Study

Richler et al. *Journal of Autism and Developmental Disorders*. 2006

A multi-site study of 351 children with Autism Spectrum Disorders (ASD) and 31 typically developing children used caregiver interviews to describe the children's early acquisition and loss of social-communication milestones. For the majority of children with ASD who had experienced a regression, pre-loss development was clearly atypical.

**AUTHOR CONCLUSION:** No evidence that onset of autistic symptoms or of regression was related to measles, mumps and rubella vaccination.

- <http://tinyurl.com/66gtk2>

### Pervasive Developmental Disorders in Montreal and Quebec, Canada: Prevalence and Links with Immunizations

Fombonne E et al. *Pediatrics*. 2006; 118(1):e139-50

Study of thimerosal and measles, mumps and rubella (MMR) vaccine uptake in 28,000 Canadian children born between 1987 and 1998, of whom 180 were identified with a pervasive developmental disorder.

**AUTHOR CONCLUSION:** The data rule out an association between pervasive developmental

disorder and either high levels of ethyl mercury exposure comparable with those experienced in the United States in the 1990s or 1- or 2-dose MMR vaccinations.

- <http://tinyurl.com/5c27nu>

### Immunizations and Autism: A Review of the Literature

Doja A, Roberts W. *The Canadian Journal of Neurological Sciences* 2006; 33(4):341-6

Literature review found very few studies supporting an association between vaccines and autism, with the overwhelming majority showing no causal association between the measles, mumps and rubella (MMR) vaccine and autism. The vaccine preservative thimerosal has alternatively been hypothesized to have a possible causal role in autism. No convincing evidence was found to support an association between the vaccine preservative thimerosal and autism, nor for the use of chelation therapy in autism.

**AUTHOR CONCLUSION:** With decreasing uptake of immunizations in children and the inevitable occurrence of measles outbreaks, it is important that clinicians be aware of the literature concerning vaccinations and autism so that they may have informed discussions with parents and caregivers.

- <http://tinyurl.com/ddnqq7>

### No Evidence of Persisting Measles Virus in Peripheral Blood Mononuclear Cells from Children with Autism Spectrum Disorder

D'Souza Y et al. *Pediatrics* 2006; 118(4):1664-75

Peripheral blood mononuclear cells were isolated from 54 children with Autism Spectrum Disorders (ASD) and 34 developmentally normal children, and up to 4 realtime polymerase chain reaction assays and 2 nested polymerase chain reaction assays were performed. No sample from either ASD or control groups was found to contain nucleic acids from any measles virus gene. In the nested polymerase chain reaction and in-house assays, none of the samples yielded positive results. Furthermore, there was no difference in anti-measles antibody titers between the autism and control groups.

**AUTHOR CONCLUSION:** There is no evidence of measles virus persistence in the peripheral blood mononuclear cells of children with ASD.

- <http://tinyurl.com/dcb79o>

### MMR-Vaccine and Regression in Autism Spectrum Disorders: Negative Results Presented from Japan

Uchiyama T et al. *Journal of Autism and Developmental Disorders*, 2007; 37(2):210-7

Study of 904 patients with Autism Spectrum Disorders (ASD). During the period of measles, mumps and rubella vaccine (MMR) usage, no significant difference was found in the incidence of regression between MMR-vaccinated children and nonvaccinated children. Among the proportion and incidence of regression across the three MMR-program-related periods (before, during and after MMR usage), no significant difference was found between those who had received MMR and those who had not. Moreover, the incidence of regression did not change significantly across the three periods.

AUTHOR CONCLUSION: The data do not support an association between MMR and autism.

- <http://tinyurl.com/6c6o4r>

### Measles Vaccination and Antibody Response in Autism Spectrum Disorders

Baird G et al., *Archives of Disease in Childhood* 2008; 93(10):832-7

Case-control study of 98 vaccinated children aged 10-12 years in the UK with autism spectrum disorder (ASD) and two control groups of similar age: 52 children with special educational needs but no ASD and 90 children in the typically developing group. No difference was found between cases and controls for measles antibody response. There was no dose-response relationship between autism symptoms and antibody concentrations.

AUTHOR CONCLUSION: No association between measles vaccination and ASD was shown.

- <http://tinyurl.com/dn6yy8>

### Lack of Association between Measles Virus Vaccine and Autism with Enteropathy: A Case-Control Study

Hornig M et al., *PLoS ONE* 2008, 3(9): e3140 doi:10.1371/journal.pone.0003140

Researchers looked for measles virus in the guts of 25 children with both autism and gastrointestinal disorders, and another 13 children with the same gastrointestinal disorders but no autism. The virus was detected in one child from each group.

AUTHOR CONCLUSION: This study provides strong evidence against association of autism with persistent measles virus RNA in the gastrointestinal tract or with measles, mumps and rubella (MMR) vaccine exposure

- <http://www.plosone.org/article/info%3Adoi%2F10.1371%2Fjournal.pone.0003140>

### Lack of Association Between Measles-Mumps-Rubella Vaccination and Autism in Children: A Case-Control Study

Budzyn D, et al. *The Pediatric Infectious Disease Journal*. Vol. 29, No. 5, May 2010

Researchers in Poland compared vaccination history and autism diagnosis in 96 children with autism, ages 2 to 15, as well as 192 children in a control group. For children diagnosed before a diagnosis of autism, the autism risk was lower in children who received MMR vaccine than in non-vaccinated children. A similar result was achieved for the single-antigen measles vaccine.

**AUTHOR CONCLUSION:** The study provides evidence against the association of autism with either MMR or a single measles vaccine.

- <http://www.ncbi.nlm.nih.gov/pubmed/19952979>

## Court Decisions

### U.S. Court of Federal Claims decision in Omnibus Autism Proceeding

On Feb. 12, 2009, the “vaccine court” ruled in three test cases on the theory that MMR vaccine and the vaccine preservative thimerosal are linked to autism. The court found the scientific evidence is overwhelmingly contrary to this theory.

- <http://www.uscfc.uscourts.gov/node/5026>

## Studies looking at thimerosal:

### Association Between Thimerosal-Containing Vaccine and Autism

Hviid et al., *Journal of the American Medical Association*, 2003; 290(13):1763-6

Study of 467,000 children born in Denmark between 1990 and 1996 compared children who were vaccinated with a thimerosal-containing vaccine to children who received a thimerosal-free formulation of the same vaccine. The risk of autism and other autism spectrum disorders did not differ significantly between children vaccinated with thimerosal-containing vaccine and children vaccinated with thimerosal-free vaccine.

**AUTHOR CONCLUSION:** The results do not support a causal relationship between childhood vaccination with thimerosal-containing vaccines and development of autistic-spectrum disorders.

- <http://tinyurl.com/5rtzjd>

## Thimerosal Exposure in Infants and Developmental Disorders: A Prospective Cohort Study in the United Kingdom Does Not Support a Causal Association

Heron et al., *Pediatrics*. Vol. 114 No. 3, 2004, pp. 577-583

The researchers monitored the thimerosal exposure of more than 14,000 children born in the UK between 1991 and 1992. The age at which doses of thimerosal-containing vaccines were administered was recorded, and measures of mercury exposure by 3, 4 and 6 months of age were calculated and compared with measures of childhood cognitive and behavioral development covering from 6 to 91 months of age.

**AUTHOR CONCLUSION:** No convincing evidence was found that early exposure to thimerosal had any deleterious effect on neurologic or psychological outcome.

- <http://pediatrics.aappublications.org/cgi/content/abstract/114/3/577>

## Thimerosal and the Occurrence of Autism: Negative Ecological Evidence From Danish Population-Based Data

Madsen et al., *Pediatrics*; Vol. 112 No. 3, 2003, pp. 604-606

Analyzed data from the Danish Psychiatric Central Research Register recording all psychiatric admissions since 1971, and all outpatient contacts in psychiatric departments in Denmark since 1995. There was no trend toward an increase in the incidence of autism during that period when thimerosal was used in Denmark, up through 1990. From 1991 until 2000 the incidence increased and continued to rise after the removal of thimerosal from vaccines, including increases among children born after the discontinuation of thimerosal.

**AUTHOR CONCLUSION:** The discontinuation of thimerosal-containing vaccines in Denmark in 1992 was followed by an increase in the incidence of autism. The data do not support a correlation between thimerosal-containing vaccines and the incidence of autism.

- <http://tinyurl.com/5omq4u>

## Autism and thimerosal-containing vaccines: Lack of consistent evidence for an association

Stehr-Green P et al., *American Journal of Preventive Medicine*. 2003; 25(2):101-6

Study compared the prevalence/incidence of autism in California, Sweden and Denmark from the mid-80s to the late 90s with average exposures to thimerosal containing vaccines. In all three countries, the incidence and prevalence of Autism Spectrum Disorders began to rise in the 1985-1989 period, and the rate of increase accelerated in the early 1990s.



AUTHOR CONCLUSION: The data is not consistent with the hypothesis that increased exposure to thimerosal-containing vaccines is responsible for the apparent increase in the rates of autism in young children being observed worldwide.

- <http://www.ncbi.nlm.nih.gov/pubmed/12880876>

### Thimerosal Exposure in Infants and Developmental Disorders: A Retrospective Cohort Study in the United Kingdom Does Not Support a Causal Association

Andrews N et al., *Pediatrics*. Vol. 114 No. 3, 2004, pp. 584-591

Study analyzed thimerosal exposure and possible development delays in 109,863 children born in the United Kingdom from 1988-97. Exposure was defined according to the number of DTP/DT doses received by 3 and 4 months of age and also the cumulative age-specific DTP/DT exposure by 6 months.

AUTHOR CONCLUSION: With the possible exception of tics, there was no evidence that thimerosal exposure via DTP/DT vaccines causes neurodevelopmental disorders.

- <http://tinyurl.com/7rvj6m>

### Immunization Safety Review: Vaccines and Autism

Institute of Medicine, The National Academies Press: 2004

The IOM's Committee on Immunization Safety Review was convened in the fall of 2000 to provide an independent review of increasingly prominent vaccine safety concerns. The 15 committee members with expertise in pediatrics, internal medicine, immunology, neurology, infectious diseases, epidemiology, biostatistics, public health, risk perception, decision analysis, nursing, genetics, ethics and health communications analyzed over 200 relevant studies.

AUTHOR CONCLUSION: The committee rejected a causal relationship between the MMR vaccine and autism as well as a causal relationship between thimerosal containing vaccines and autism.

- [http://books.nap.edu/catalog.php?record\\_id=10997#description](http://books.nap.edu/catalog.php?record_id=10997#description)

### Pervasive Developmental Disorders in Montreal, Quebec, Canada: Prevalence and Links With Immunizations

Fombonne, et al., *Pediatrics*. Vol. 118 No. 1, 2006, pp. e139-e150

Quantified thimerosal and measles, mumps rubella (MMR) vaccine uptake in 28,000 Canadian children born between 1987 and 1998, of whom 180 were identified with a pervasive

developmental disorder.

**AUTHOR CONCLUSION:** The data rule out an association between pervasive developmental disorder and either high levels of ethyl mercury exposure comparable with those experienced in the United States in the 1990s or 1- or 2-dose measles-mumps-rubella vaccinations.

- <http://tinyurl.com/5c27nu>

## Early Thimerosal Exposure and Neuropsychological Outcomes at 7 to 10 Years

Thompson, et al. 2007, *New England Journal of Medicine*. 357:1281-1292

Study compared early exposure to thimerosal-containing vaccines to 42 neuropsychological outcomes in 1,047 children between the ages of 7 and 10 years. Exposure to mercury from thimerosal was determined from computerized immunization records, medical records, personal immunization records and parent interviews.

**AUTHOR CONCLUSION:** The study does not support a causal association between early exposure to mercury from thimerosal-containing vaccines and immune globulins and deficits in neuropsychological functioning at the age of 7 to 10 years.

- <http://tinyurl.com/5ndvpe>

## Mercury Levels in Newborns and Infants After Receipt of Thimerosal-Containing Vaccines

Pichichero, et al., *Pediatrics*. Vol. 121 No. 2, 2008, pp. e208-e214

Study assessed blood mercury levels of 216 healthy children prior to immunization with thimerosal-containing vaccines, and 12 hours to 30 days after. The blood mercury half-life was calculated to be 3.7 days and returned to prevaccination levels by day 30.

**AUTHOR CONCLUSION:** The blood half-life of intramuscular ethyl mercury from thimerosal in vaccines in infants is substantially shorter than that of oral methyl mercury in adults. Increased mercury levels were detected in stools after vaccination, suggesting that the gastrointestinal tract is involved in ethyl mercury elimination. Because of the differing pharmacokinetics of ethyl and methyl mercury, exposure guidelines based on oral methyl mercury in adults may not be accurate for risk assessments in children who receive thimerosal-containing vaccines.

- <http://pediatrics.aappublications.org/cgi/content/full/121/2/e208>

## Continuing increases in autism reported to California's developmental services system: mercury in retrograde

Schechter and Grether, 2008, *Archives of General Psychiatry*. 65(1):19-24

Study analyzed autism client data from the California Department of Developmental Services between 1995 and 2007. Even though thimerosal was absent from scheduled childhood vaccines after 2002, cases of autism continued to climb quarter by quarter.

**AUTHOR CONCLUSION:** The California DDS data do not show any recent decrease in autism in California despite the exclusion of more than trace levels of thimerosal from nearly all childhood vaccines. The data do not support the hypothesis that exposure to thimerosal during childhood is a primary cause of autism.

- [http://www.ncbi.nlm.nih.gov/pubmed/18180424?ordinalpos=44&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed\\_ResultsPanel.Pubmed\\_DefaultReportPanel.Pubmed\\_RVDocSum](http://www.ncbi.nlm.nih.gov/pubmed/18180424?ordinalpos=44&itool=EntrezSystem2.PEntrez.Pubmed.Pubmed_ResultsPanel.Pubmed_DefaultReportPanel.Pubmed_RVDocSum)

## Prenatal and Infant Exposure to Thimerosal From Vaccines and Immunoglobulins and Risk of Autism

Price C et al., *Pediatrics*. Vol. 126 No. 4 October 2010, pp. 656-664

Researchers reviewed managed care organization records and conducted interviews with the parents of 256 children who were verified to have ASD according to a standardized personal evaluation. Children with ASD were further categorized as having autistic disorder or ASD with regression. Another 752 children without autism, matched to the ASD children by birth year, gender and managed care organization, were also studied. For none of the autism outcomes was prenatal or early life receipt of thimerosal-containing vaccines and immunoglobulins significantly greater among children with ASD than among children without ASD.

**AUTHOR CONCLUSION:** These results add to the evidence that thimerosal containing vaccines do not increase the risk of autism.

- <http://pediatrics.aappublications.org/cgi/content/full/126/4/656>

## Investigative Reporting:

### How the case against the MMR vaccine was fixed

Deer B, *British Medical Journal*. 2011; 342: 77-84

British journalist Brian Deer investigates Dr. Andrew Wakefield (the man who initially claimed a link between autism and the MMR vaccine), his practices during the study that was published

on this alleged connection, and uncovers truths that lead to the revocation of Dr Wakefield's medical license and to the retraction of the article he published on the subject.

- <http://www.bmj.com/content/342/bmj.c5347.full>

Last Updated: 11/21/2015

Source: American Academy of Pediatrics (Copyright © 2013)